







APPLICABLE FPC/FFC
蓝白裸线 (不接地)



APPLICABLE FPC/FFC
一体补强板铝箔FPC线



一体补强板铝箔FPC线

NO. of contacts	B.		E.		NO. of contacts		B.	E.
	10	20	30	40	50	60	70	80
10	4.50	6.85	67	33.00	35.35			
20	9.50	11.85	68	33.50	35.85			
30	14.50	16.85	69	34.00	36.35			
40	19.50	21.85	70	34.50	36.85			
41	20.00	22.35	71	35.00	37.35			
42	20.50	22.85	72	35.50	37.85			
43	21.00	23.35	73	36.00	38.35			
44	21.50	23.85	74	36.50	38.85			
45	22.00	24.35	75	37.00	39.35			
46	22.50	24.85	76	37.50	39.85			
47	23.00	25.35	77	38.00	40.35			
48	23.50	25.85	78	38.50	40.85			
49	24.00	26.35	79	39.00	41.35			
50	24.50	26.85	80	39.50	41.85			
51	25.00	27.35	81	40.00	42.35			
52	25.50	27.85	82	40.50	42.85			
53	26.00	28.35	83	41.00	43.35			
54	26.50	28.85	84	41.50	43.85			
55	27.00	29.35	85	42.00	44.35			
56	27.50	29.85	86	42.50	44.85			
57	28.00	30.35	87	43.00	45.35			
58	28.50	30.85	88	43.50	45.85			
59	29.00	31.35	89	44.00	46.35			
60	29.50	31.85	90	44.50	46.85			
61	30.00	32.35	91	45.00	47.35			
62	30.50	32.85	92	45.50	47.85			
63	31.00	33.35	93	46.00	48.35			
64	31.50	33.85	94	46.50	48.85			
65	32.00	34.35	95	47.00	49.35			
66	32.50	34.85	96	47.50	49.85			

广东国连电子有限公司

GENERAL TOLERANCE
UNLESS
OTHERWISE SPECIFIED

CHECKED:

TITLE: 0.5PITCH 2.2H FPC
LOWER CONTACT R/A SMT CONN.
(narrow version)

APPROVED:

REV. 1:1

SCALE: 1:1

SHEET: 2/2

UNIT: mm

REV: X1





ANG. ±2°

DATE

CHK


REVISIONS

REV.



NOTES:

- 1.Component load per 13" reel::2000 pcs
- 2.Material: white conductive polystyrene alloy.
3. Thickness:0.4+0.05mm
- 4.All dimensions meet EIA-481-C requirements



No.of Contacts	DIM			REEL (CARTON)	SUM(PCS)
	A	B	C		
8pin~19pin	24	/	11.5	15	30000
20pin~30pin	32	28.4	14.2	10	20000
40pin~57pin	44	40.4	20.2	6	12000
58pin~81pin	44	52.4	26.2	5	10000
82pin~96pin	72	68.4	34.2	4	8000


广东国连电子有限公司

GENERAL TOLERANCE
UNLESS
OTHERWISE SPECIFIEDX.X ±0.25
X.XX ±0.20
X.XXX ±0.10
ANG. ±3°

DRAWN:

CHECKED:

APPROVED:



PART NO.

TITLE:
0.5 PITCH 2.2H FPC CONN.
(narrow version)

SHEET:

1/1

UNIT:

mm

SCALE:

1:1

SIZE:

A4

REV:

X1

REV.	REVISIONS	CHK	DATE